			- Xk
	Application No.	Applicant(s)	
Notice of Allowability	09/767,959	CUNNINGHAM ET AL	<del></del>
	Examiner	Art Unit	
	Jacob Y Choi	2875	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in 5) or other appropriate commu RIGHTS. This application is so	this application. If not included nication will be mailed in due co	ourse. <b>THIS</b>
1. This communication is responsive to 10/28/2003.		·	
2. X The allowed claim(s) is/are 14,15,22,24,25,31-39 and 41	<u>-53</u> .		
3. $\boxtimes$ The drawings filed on <u>04/06/2003 &amp; 10/02/2002</u> are acce	•		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>	under 35 U.S.C. § 119(a)-(d) o	or (f).	
<ol> <li>Certified copies of the priority documents have</li> </ol>	/e been received.		
<ol><li>Certified copies of the priority documents have</li></ol>	ve been received in Application	n No	
<ol> <li>Copies of the certified copies of the priority d International Bureau (PCT Rule 17.2(a)).</li> </ol>	ocuments have been received	in this national stage applicatio	n from the
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priority reference was included in the first sentence of the specific			specific
(a) The translation of the foreign language provisional			
<ol> <li>Acknowledgment is made of a claim for domestic priority in the first sentence of the specification or in an Application</li> </ol>		r 121 since a specific reference	was included
Applicant has THREE MONTHS FROM THE "MAILING DATE" below. Failure to timely comply will result in ABANDONMENT of			
7. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi			TICE OF
<ul> <li>8. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mid (a) ☐ including changes required by the Notice of Draftspe</li> <li>1) ☐ hereto or 2) ☐ to Paper No</li> </ul>		( PTO-948) attached	
(b) ☐ including changes required by the proposed drawing	correction filed, which	has been approved by the Exa	miner.
(c) including changes required by the attached Examine	r's Amendment / Comment or	in the Office action of Paper No	·
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			ack) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT FOR</li> </ol>			le the
Attachment(s)			
1☐ Notice of References Cited (PTO-892)		rmal Patent Application (PTO-1	•
2 Notice of Draftperson's Patent Drawing Review (PTO-948)		nmary (PTO-413), Paper No	<del></del> ·
3 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No	<sup>Jo</sup> ), 7☐ Examiner's A	mendment/Comment	
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's S 9∐ Other .	tatement of Reasons for Allowa	nce

Art Unit: 2875

### **DETAILED ACTION**

# Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the claims 1. recite a frame assembly and light for covering a wall conduit in a wall, the wall conduit having components requiring access outside the frame assembly, the frame assembly having a light, an electrical circuit providing electrical energy to the light from a power source, a rectangular frame through which the electrical component is accessible, the frame hosuign the electrical circuit, the frame having sides with a depth sufficient to house the light, and the frame having an aperture in at least one of the sides allowing the light to illuminate a space outside the frame assembly through the aperture, and a cover plate separate from the frame and for covering the frame and for providing access to the component of the wall conduit. Because none of the references cited disclose the detailed structural limitations of the aperture on the frame assembly allowing the light to illuminate a space outside the frame and where the cover plate being separate from the frame for providing access to the component of the wall conduit, nor is there any motivation to combine them, the claims are deemed patentable over the prior art of record. Claims 14, 15, 22, 24, 25, 31-39, & 41-53 allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/767,959

Art Unit: 2875

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Priority**

2. The examiner has reviewed the provisional application 60/179.143 filed on January 31 2000 and the instant application contains substantially the same written description as the provisional application. All the claims rejected based on Lee (USPN 6,350,039) has been withdrawn.

### Response to Amendment

3. Examiner acknowledges that the applicant has amended claims 22, & 48-50. Claims 14, 15, 22, 24, 25, 31-39, & 41-53 are pending in this application.

#### Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob Y Choi whose telephone number is (571) 272-2367. The examiner can normally be reached on Monday-Friday (10:00-7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 2875

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-7724.

JC

Sendra O'Shea
Supervisory Patent Examiner
Technology Center 2800